

LANIER



Lanier SP5200S SP5210SR

Compact print power with 4-in-1 functionality

☑ Copier ☑ Printer ☑ Fax ☑ Scanner



SP5200S

45
ppm^{B/W}

SP5210SR

50
ppm^{B/W}

discover the value of convenience and productivity

Turn new challenges and everyday demands into cost-saving opportunities—with the flexible Lanier® SP5200S/SP5210SR Digital Imaging System. The powerful system is specifically designed to simplify everyday general office tasks for midsize workgroups. Users can quickly access exceptional multifunction performance—including monochrome copy, colour scan, print and fax capabilities—to complete a wide range of projects faster with incredibly low cost-per-page. Ideal for busier workloads, it offers incredible speed, quality, finishing and intuitive controls to streamline workflow so you can manage your documents more efficiently. Its compact design is packed with versatility for optimal production and value. Plus, it's ideal for organisations deploying a print management solution with Lanier's Managed Document Services (MDS).

Deliver More Efficiently

The Lanier SP5200S/SP5210SR offers a wide range of innovative features to improve productivity.

- Produce crisp, sharp text at up to 1200 x 600 dpi resolution for high-quality, compelling results.
- Take advantage of easy-to-use scanning capabilities to simplify workflow with cost-effective electronic document storage and distribution.
- Work quickly with near-instant system readiness. Warm-up time is less than 20 seconds.
- Reduce paper, mailing costs and filing space with standard automatic duplexing at nearly 90% percent of rated simplex speeds.
- Maximise convenience with paperless faxing. Super G3 faxing, Internet Fax, IP Fax, and LAN Fax support are optional.



The adjustable full-colour touch screen control panel on the SP 5210SR can be tilted to give users greater visibility and to provide easy access to the finisher trays. It even offers animated guidance screens for easy step-by-step instructions.

Manage More Conveniently

The Lanier SP5200S/SP5210SR includes user-friendly controls for convenient, intuitive operation.

- Maximise uptime, streamline maintenance and reduce cost-per-page output with a high-yield, 25,000-page AIO print cartridge.
- Gain clear, unobstructed access to critical device information from virtually any angle with an innovative 8.5" full-colour tilting LCD panel.*
- Perform all of your general office tasks from a single machine without compromising floor space or your budget. The compact footprint offers users more options for placement in more office environments.



A USB Type A port is conveniently located in the control panel for quick and easy printing from/scanning to removable media.

Share Information Cost-Effectively

The Lanier SP5200S/SP5210SR offers a host of scanning capabilities to make electronic document capture and distribution quick, easy and free.

- Speed scanning tasks with the 50-sheet Automatic Reversing Document Feeder (ARDF). It accepts originals up to A4.
- Quickly transfer documents and images to portable media with Scan-to-Media (USB/SD Card) to streamline distribution in any environment.
- Reduce file sizes for scanned colour documents without compromising image quality with high compression PDF for faster transmission and printing.



Accommodate thicker paper stock—up to 220 g/m²—from every paper tray to ensure more projects can be completed to specifications in-house.

Connect Your User Network

The Lanier SP5200S/SP5210SR includes flexible networking support that enables workgroups to produce a wide range of jobs efficiently.

- Use the robust Controller to support advanced networking features, device monitoring utilities and data protection functions, including innovative device customisation and host print capabilities.
- Enjoy full compatibility throughout the office with standard USB 2.0 Hi Speed Interface and Ethernet connectivity, including support for PCL and genuine Adobe PostScript3[®] in Windows and Macintosh network environments.
- Store up to 3,000 documents (up to 9,000 pages) on the powerful 128 GB Hard Disk Drive for easy, secure document management.

Handle Every Task

Engineered to help users complete everyday office tasks with ease, the Lanier SP5200S/SP5210SR offers flexible media handling and finishing to expedite workflow.

- Increase paper supply without compromising floor space. Up to three additional paper trays can be added for a maximum paper capacity of 2,300 sheets.
- Finish sets up to 50 pages automatically, and offset stack up to 250 sheets, with the internal finisher that comes standard on the SP5210SR.
- Accommodate stocks up to 220 g/m² from any paper source to ensure print jobs are executed on time and deadlines are met.
- Enhance envelope output productivity with universal feeding.



Specifications and information

COPIER

Copy speed:	SP5200S: 45cpm SP5210SR: 50cpm
Copy resolution:	600 x 600 dpi
Multiple copy:	Up to 999
Warm-up time:	20 sec or less
First copy speed:	10 sec or less
Zoom (in 1% step):	Platen: 25% to 400% ARDF: 25% to 200%
Memory:	1GB
HDD:	128GB
Paper input capacity:	Std: 550 sheets Bypass: 100 sheets Max: 2300 sheets ARDF: 50 sheets
Paper output capacity:	SP5200S: Up to 500 sheets SP5210SR: Up to 250 sheets
Paper size:	Std: A4 - A6 Bypass: A4 - A6 Optional tray: A4 - B6 ARDF: A4 - A5
Paper weight:	Std/Opt: 52 - 220g/m ² Bypass: 52 - 220g/m ² Duplex: 60 - 163g/m ²
Dimensions (WxDxH):	SP5210SR: 460 x 615 x 686mm SP5200S: 460 x 510 x 686mm
Weight:	SP5210SR: less than 53kg SP5200S: less than 45kg
Power source:	220-240V, 50/60Hz
Power consumption:	1500W or less
Energy saver:	8W or less

SOFTWARE

Standard:	@Remote Intelligent Management System SmartDeviceMonitor Web Image Monitor GlobalScan NX
Optional:	ESA TransFormer

PRINTER

Print speed:	SP5200S: 45ppm SP5210SR: 50ppm
Warm-up time:	20 sec or less
First print speed:	7.5 sec or less
Duplex:	Automatic
Printer language:	PCL5e/6, Postscript 3, IPDS (option)
Print resolution:	1200 x 600dpi
Interface:	Ethernet 10BASE-T/100BASE-TX/USB 2.0
Network Protocol:	TCP/IP (IPv4, IPv6), IPX/SPX, Bonjour
Supported environments:	Windows XP Windows Vista Windows Server 2003 Windows Server 2008 Windows 7 MacOS X (v10.2 or later)

SCANNER

Scan speed:	over 30ipm
Scan resolution:	600dpi (maximum)
Protocol: Network:	TCP/IP
Scan to Email:	POP, SMTP
Scan to folder:	SMB, FTP, NCP

FAX OPTION

Circuit:	PSTN/PBX
Compatibility:	ITU_T, G3
Modem speed:	33.6K - 2400bps with Auto Fallback
Fax resolution:	200 x 100, 200 x 200, 200 x 400, 400 x 400dpi (with optional memory)
Compression method:	MH/MR/MMR/JBIG
Scan speed:	Platen: less than 2 sec ARDF: less than 1 sec
Scan speed (PPM):	40 spm (A4 SEF)
Memory capacity:	Std: approx 320 pages
With optional SAF memory:	approx 2240 pages
Memory backup:	1 hour

OTHER OPTIONS

550 sheet paper tray¹
550 sheet paper tray with casters¹
IPDS unit
IEEE 802.11a/g interface unit
Gigabit Ethernet Board
Bluetooth Interface Unit
Browser unit
Media link board
Fax option
SAF Memory unit (32MB)

CONSUMABLES

Toner: Black: Approx. 25,000 prints/cartridge

Machine ships with starter kit that yields 6,000 pages.
Declared yield value in accordance with ISO/IEC 19752.

1. Please consult your local Lanier supplier for configuration options.

3 YEAR WARRANTY

Lanier's award winning range of colour and black & white laser printers come with a standard three year on-site warranty. This sets a new industry benchmark in Australia. We are proud of our excellent reputation in customer service. You can feel confident that in the unlikely event that you encounter an issue, Lanier will quickly and easily rectify it. Our contact centre is available to assist you for the life of the printer's warranty. If an issue cannot be resolved over the phone, and depending on where you're located, Lanier offers either a return to base (RTB) replacement with 'like for like' or onsite service.



LANIER

Copywell Australia Pty Ltd

24/2-4 Damian Court Dandenong Vic 3175

Ph: (03) 9793 7773

Email: sales@copywell.com.au

www.copywell.com.au